





Cable carriers for material flow and handling



Cranes

Robots

Costs down – service life up Cable carrier systems for material flow and handling

TSUBAKI KABELSCHLEPP develops customized solutions for cable carrier systems for material flow and handling. Our decades of experience from hundreds of realized projects in various industries with diverse demands on our cable carrier systems, lead to new custom and application-specific solutions for our customers. Our specialists will support you from the planning and design stage through to the onsite installation and start-up of the tested complete system.

Lifting Equipment

Automatic warehouse

Conveyors

Cable carriers for material flow and handling



UNIFLEX Advanced (for example)

22

TOTALTRAX[®] Complete Systems **From planning to the final complete system**

Use our know-how. Working jointly with you, our experienced specialists can provide pre-sale support, including planning and design services through after sales service and support.

One order, one contact person, components optimally matched to each other, including the cable and hose carrier, the electrical cables, the hydraulic and pneumatic hoses and the connectors. You receive the complete TOTALTRAX® system in one delivery.

Reduce your storage costs with TOTALTRAX[®]. We supply all components Just-In-Time to your production facility or directly to the installation site.





TRAXLINE[®] cables for cable carriers

Expert installation by our Service Team

Let our Service Team handle the planning and execution of the installation of cable and hose carrier systems. We provide the support you need.

- complete assembly including the guide channel and the substructure
- uncoiling and assembling cable and hose carrier systems for intralogistics
- accurate installation under your conditions at high altitude
- commissioning and acceptance





- Available from 75 mm inner width and 125 mm bending radius
- Suitable for extremely long travel lengths
- Cable outlet on the driver alternatively towards the front or rear
- Standard lengths of the aluminum profile
- Mounting distance of the channel brackets flexibly adaptable

Your global material flow and handling expert:



Daniel Berger Strategic Marketing Fon: +49 2762 4003-459 E-mail: daniel.berger@kabelschlepp.de





The TSUBAKI KABELSCHLEPP Global network – worldwide near you



TSUBAKI KABELSCHLEPP GmbH

Daimlerstraße 2 D-57482 Wenden-Gerlingen Fon: +49 2762 4003-0 Fax: +49 2762 4003-220 E-mail: info@kabelschlepp.de tsubaki-kabelschlepp.com TSUBAKI KABELSCHLEPP worldwide

For contacts, addresses and further information, visit our web site at **tsubaki-kabelschlepp.com**

Your contact:

Brands for TSUBAKI KABELSCHLEPP GmbH are protected as national or international trademarks in the following countries: tsubaki-kabelschlepp.com/trademarks