



CABLE MANAGEMENT KIT FOR MODERN OFFICES

FAST, EASY AND COST-EFFICIENT **CABLE CARRIERS FOR FURNITURE**

TSUBAKI KABELSCHLEPP offers a wide range of standards and develops customer-specific solutions with cable carriers for the furniture industry. Our decades of experience from hundreds of successfully implemented projects across different industries produce new, customized and user-specific solutions time and again. Our experts support you from the initial idea to planning and installation in your project.

INDIVIDUAL COMPLETE SOLUTIONS **FROM PLANNING TO THE PREASSEMBLED SYSTEM**

Make use of our know-how. On request, we develop, test and produce the desired cable routing according to your requirements.

Everything from structure, connection options and strain relief to packaging can be defined under one customer-specific material number, making ordering easier for you. Preassembly and collating of orders allow you to save costs and additionally reduce the required storage space.

READY-TO-INSTALL SOLUTIONS

- » Purchasing and handling under one article number, in original equipment and as accessories for retrofitting
- » No picking of individual parts and simplified logistics through standard packaging
- » Kits including fixing elements or tool-free with assembly instructions for on-site installation (saves assembly time at the customer site)



IT SOLUTIONS



RECEPTION



SIT/STAND WORKSTATION



ROOM INSTALLATION



MEDIA BOARDS







HOME & ENTERTAINMENT



MONO SERIES FOR MEDIA BOARDS

- › Easy and quick assembly
- › Many types available immediately ex-stock world wide
- › Cost-effective, durable cable carrier
- › Closed as well as externally and internally opening types

	Inner heights	10-15 mm
	Inner widths	6-40 mm
	Pitch	13-20 mm
	Bend radii	18-50 mm





01



02






03


- 01 Secure
- 02 Guiding
- 03 Compact

PROTUM® OFFICE P0240 GS

CONSTRUCTION KIT FOR OFFICE WORKSTATIONS

- » Easy filling by pressing in the cables
- » Cable routing outside of the foot space
- » Complete separation of data and power cables possible




	Inner height	10 mm
	Inner width	50 mm
	Pitch	24 mm




PROTUM® OFFICE P0400 GS

CABLE MANAGEMENT FOR MODERN OFFICES

- › Large usable space for cable installation
- › Cable routing outside of the foot space
- › Complete separation of data and power cables possible

	Inner height	21.5 mm
	Inner width	50 mm
	Pitch	40 mm



tsubaki-kabelschlepp.com/protum

PROTUM® OFFICE MODULAR SYSTEM

Color combinations

The standard color variants silver-gray, black and white for the band, the side parts and the connections can be combined.



Black
(RAL 9005)




White
(RAL 9010)



Silver-gray
(RAL 9003)

Side parts „Clip“



P0240GS / P0400GS01

Carrier band



Side parts



P0240GS



P0400GS01



P0400GS02



P0400GS Module combination





tsubaki-kabelschlepp.com/protum

Combination options for end connectors

Can be attached to table frames, underneath table tops or cable ducts, to rectangular or round table legs or to the floor.


Connection A/B/N – angled/oval for table top

for mounting underneath the table top, on the table frame or on the cable duct









Connection M – for profiles flat

for mounting on rectangular aluminum profiles with groove



Connection C/E + I/J – for flat frames and Connection D/F + K/L – for round frames

for mounting on the table frame (rectangular/ $\varnothing = 70$ mm) using integrated magnets **E F I K** or screws **C D J L** as short **E F C D** or long version **I K J L**



Adhesive pads are also available for optional attachment for connectors **A B** and **J**, and self-adhesive counterholder for non-magnetic surfaces for connectors **E I** and **N**! Connectors **C** and **D** can also be fixed with cable ties.


Connection G – for floor connection

for a clean transition to the floor covering



Connection H – for table base

for mounting on the table base by clipping




EasyTrax® SERIES


BE FAST AND SAVE COSTS

- » Extremely fast cable laying as cables are simply pressed in
- » Very high fill level due to the lamella pivoting to the side – lamella do not pivot into the cable space
- » Extremely low noise due to integrated noise damping

	Inner heights	4.6-25 mm
	Inner widths	7-78 mm
	Pitch	11.5-45.5 mm
	Bend radii	10-200 mm



tsubaki-kabelschlepp.com/easytrax







- 01** Added protection for more safety
- 02** Cable routing for more clearance
- 03** Cable protection for more availability




QuickTrax® SERIES

SEPARATING DATA AND POWER CABLES


- › Extremely fast and easy cable laying thanks to crossbar with film hinge
- › Extremely low noise due to integrated noise damping
- › High fill level possible

	Inner height	17.5-20 mm
	Inner widths	15-65 mm
	Pitch	25-32 mm
	Bend radii	28-125 mm



tsubaki-kabelschlepp.com/quicktrax

- 01** Vertical cable routing
- 02** For more comfort and safety
- 03** Data protection and long service life



FROM A SINGLE SOURCE

CUSTOMER SOLUTIONS



01


- » Concept, design and development
- » Project planning

02

- » CAD models
- » Simulation
- » Calculation

03

- » In-house 3D printing
- » Vacuum casting
- » Additive manufacturing



04

- » Validation
- » Testing

05

- » Individual manufacturing
- » Series production



Your expert
for the furniture industry

Werner Eul

Senior Product Manager

Phone: +49 2762 4003-303

Cell: +49 170 7319944

Email: werner.eul@kabelschlepp.de



CONTACT

TSUBAKI KABELSCHLEPP GmbH

Daimlerstraße 2
D-57482 Wenden-Gerlingen

Fon: +49 2762 4003-0

Fax: +49 2762 4003-220

E-mail: info@tsubaki-kabelschlepp.com

tsubaki-kabelschlepp.com



The complete product range under:
tsubaki-kabelschlepp.com